

**729286 (BRDSTIMS)**

Breeding station 1 module ProSift mini

## Main Features

- Patented automated dual action sifting system for maximum sifting efficiency and highest food quality time after time. Dual action drum removes unwanted dough balls keeping flour cleaner and frying oil lasting longer: internal drum design with helix profile expels the residual dough balls into the dedicated dough balls catcher with no need to stop operations.
- Sifting cycle with zero downtime allows operator to bread product while the sifting cycle of previous batch is ongoing.
- Breeding system with high resistant plastic basins. The plastic basins are easily removable from the work top thanks to 2 integrated handles. The bottom part of the basins has a rectangular hole, with cap, for discharging the flour into the intermediate hopper and finally into the sifting drum to be automatically filtered. The cap is designed to avoid unintentional removal during the breeding phase.

## Construction

- IPX3 protected.
- Mainly construction in A304 stainless steel for everlasting operation in all working environment.
- All materials and plastic parts in contact with flour and food are in compliance with Food Contact regulations and dishwasher safe.
- Manufactures corresponds to international certification ISO 9001, ISO14001, OHSAS 18001, ISO 5001.
- No consumable plastic parts.
- Silent operations allows installations also close to front of house.
- CE approved (Machine Directive), CB extension.
- The unit is equipped with a 2m length electrical cord.
- Equipped with 4 wheels, 2 with brake.





# A focus on sustainability

---

## Certifications & Recognitions



International system for mutual acceptance of test reports and certificates concerning the safety of electrical and electronic components, equipment, and products.



Product assessed by the manufacturer and deemed to meet EU safety, health, and environmental protection requirements.



Find out more:  
[ISO Certificates](#)  
[Electrolux Professional Recognitions](#)

The company reserves the right to make modifications to the products without prior notice. All information correct at time of printing.

2026/06/22

2/5

# Technical specifications

---

## Electric

|                        |                         |
|------------------------|-------------------------|
| Supply voltage:        | 220-240 V/1 ph/50/60 Hz |
| Electrical power max.: | 0.05 kW                 |

## Key Information:

|                              |                     |
|------------------------------|---------------------|
| External dimensions, Width:  | 710 mm              |
| External dimensions, Depth:  | 795 mm              |
| Weight:                      | 70 kg               |
| External dimensions, Height: | 958 mm              |
| Shipping weight (gross):     | 89 kg               |
| Shipping volume:             | 0.94 m <sup>3</sup> |

## Sustainability


|                      |          |
|----------------------|----------|
| Current consumption: | 0.4 Amps |
| Noise level:         | 42 dBA   |

## ISO Certificates


|                                     |          |
|-------------------------------------|----------|
| Type reference/certification group: | BRDSTIMB |
|-------------------------------------|----------|

# Installation drawings


Front




Side



Top



Rear side



# Accessories

## Included Accessories

| PNC Code | Description                                     | Quantity |
|----------|-------------------------------------------------|----------|
| 880533   | Lug cover for breeding station                  | 1        |
| 880540   | Lug collar                                      | 1        |
| 881183   | White lug with rubber plug for breeding station | 1        |
| 881184   | Grey lug with rubber plug for breeding station  | 1        |
| 881215   | Plastic scraper for breeding station            | 1        |

## Optional Accessories

| PNC Code | Description |
|----------|-------------|
|----------|-------------|

### Baskets

|        |                |
|--------|----------------|
| 881207 | Soaking basket |
|--------|----------------|

### Cleaning solutions

|        |                                                |
|--------|------------------------------------------------|
| 881215 | Plastic scraper for breeding station           |
| 881216 | Cleaning brush Ø110mm for breeding station     |
| 881217 | Kit of 4 nylon swabs Ø9mm for breeding station |
| 881218 | Multipurpose brush for breeding station        |
| 881219 | Cleaning kit for breeding station              |

### Containers, trays and grids

|        |                                                       |
|--------|-------------------------------------------------------|
| 880535 | Horizontal tray support for breeding station          |
| 880536 | Inclined tray support for breeding station            |
| 881249 | Stainless steel water insert pan for breeding station |

### Lugs, lids and collars

|        |                                                 |
|--------|-------------------------------------------------|
| 880533 | Lug cover for breeding station                  |
| 880540 | Lug collar                                      |
| 881183 | White lug with rubber plug for breeding station |
| 881184 | Grey lug with rubber plug for breeding station  |
| 881185 | Rubber plug for Breeding Station lug            |

## Recommended Detergents

| PNC Code | Description                                                                   |
|----------|-------------------------------------------------------------------------------|
| OS2881   | S01 STAINLESS STEEL SURFACE POLISHER; 6 BOTTLES X 750ML C/T                   |
| OS2883   | S03 ALCOHOL BASE DETERGENT; 6 BOTTLES X 750ML; ADR&IMDG&IATA Limited Quantity |
| OS2884   | S04 GLASSES & HARD SURFACES CLEANERS; 6 BOTTLES X 750ML                       |
| OS3257   | S05 - MULTIPURPOSE DEGREASER; 6PCS X 750ML; ADR&IMDG Limited Quantity         |